

R2 Built to ride



LEICHT
bike life

R2

Specifications



R2 Road bike

	Specifications	Product
Type	Road Bike	
Sizes	49/52/54/56/58cm	
Colors	See color chart	monochrome or tricolor
Weight	7480g (size 52)	
Max. Load Capacity	120kg	
Material		
Frame & Fork	Carbon T1000 & T800	
Handlebar/Stem	Carbon T700	
Drivetrain:		
Derailleur	2x12 Electronic Shifter	SRAM Rival AXS HRD E1 Road Bike Groupset 2x12 mod. 2026
Cassette	10-46	
Crank arm/chainring size	172.5 mm	SRAM DUB T47 85.5 Road/ SRAM Rival E1 DUB
Bottom bracket	T47 threaded	
Brakes & Wheels		
Brakes	Brakes Hydraulic disc brakes, integrated hoses	SRAM Rival AXS E1 SJC
Rotors	Rotors 160 mm front & rear	SRAM
Wheels	Carbon 50/23 sickle spokes	SuperS Comp W1, 50/23
Tires Tube	tires 28"	Continental Grand Prix 5000 folding tires 32-622
Tire clearance	Max 32 mm	
Components		
Saddle	High performance race saddle	Prologo Nago R4

LEICHT

DESIGNED IN PARIS
 MANUFACTURED IN HAMBURG
WWW.LEICHT-BIKES.EU


R2

Specifications



Product details

R2 Geometry



SIZE	TTL	STL	STA	HTL	HTA	RC	BBH	AEP	AB	FL	FR	REACH	STACK	FC	WB
49	508	430	75.5°	107	71.75°	410	74	272	700	371	44	375	514.2	571.5	970
52	531.2	450	74°	118	72.5°	410	74	272	718	371	44	380	527.2	573.8	972.3
54	540	470	74°	135	73°	410	72	274	738	371	44	384	544	578.8	977.9
56	562.3	490	73.5°	155	73.5°	410	72	274	760	371	44	395	564.8	591.3	990.5
58	577	515	73.5°	182	73.5°	410	72	274	784	371	44	402	590.7	605.8	1005.2

LEICHT

DESIGNED IN PARIS
 MANUFACTURED IN HAMBURG
WWW.LEICHT-BIKES.EU